

AGENDA

CARD Meeting

Tuesday, February 02, 2021 – 6:00 p.m to 8:00 p.m.

Zoom

1. Introductions (5 min)
2. Approval of Minutes from Jan 5, 2021 (Board Vote) (5 min)
3. Old Business/Action Items (20 min)
 - a. EGLE Old Business:
 - i. Was AG able to get any of the Consent Judgment negotiations data released to the public?
 - ii. Did EGLE find the Confidentiality Agreement and circulate for the public to see this document?
 - iii. Status of the Trend Analysis Review (Dan Hamel should have by end of 1st Qtr 2021)
 - iv. Status of New Compliance Wells in the ScioView development. These should be replaced under CJ3 and not delayed any longer. New phases of homes are being built very soon. Who pays for these new wells?
 - v. List of MW's not tested in many years. Dan should have a document with "why" Gelman was able to stop testing.
 - vi. When will EGLE/Wash Co Water Commission test Allen Creek Drain next (please add Allen Creek outfall into the Huron River) and possibly some shallower drain locations in Scio Twp?
 - vii. MW 103s. What is the feasibility plan and corrective actions being planned or to add another well outside the PZ near there.
 - viii. We have confirmed where the HR/HC sampling is actually coming from and the tests for Bromate are NOT being done accurately (½ mile downriver). The Court should know that the Polluter is not holding up it's 2006 agreement with the City. Will this be in the City's briefs to Judge Connors?
 - b. Any update on DHHS adjusting V.I. numbers to 29 ppb?
 - c. Wash Co. Water Commissioner issued an MS4 violation regarding illegal discharge into the Allen Creek Drain system (see 4.c. resolutions passed below). <https://drive.google.com/file/d/1sLUdTBUcl-nlafLDG5wuBOvvQA98N-4C/view?usp=sharing>
Will this violation be in the briefs from the County when they take this to the Judge next?
 - d. Wash Co Water Commissioner was asked what are the MS4 drains within the County?
 - e. City of Ann Arbor testing Wet Basements. Update on the 20 in the study. Any new plans for Vapor testing/damp basements/wet walls we discussed in previous months?
 - f. Superfund letter status

- g. Discussion (10 min)
4. EGLE Updates - Dan Hamel (15 min)
- a. NPDES permit update.
 - b. Delay for the March 8-9 hearings? Where will these public briefs be posted? Are these hearings open to the public? Via Zoom or in person? What about the new Order from Gelman to Pause the Court Case?
 - c. Anything new with action for increased dioxane in the Drain system. 3 choices discussed Dec 2020. 1) lining the pipe 2) making the Polluter clean it up and stop the illegal discharge or 3) issue an NPDES permit, which is a permit for discharge when remediating a pollution. Will this be brought up at the March hearings? What is EGLE's plan? Resolution at City Council passed unanimously.
<http://a2gov.legistar.com/LegislationDetail.aspx?ID=4745702&GUID=D5403500-2539-4033-AFDD-12DF7B439961> Resolution with CARD passed unanimously.
[CARD Resolution for WRC MS4 Permit - Gelman Violation - 2021_01_07_Final](#) Resolution the Ann Arbor Environmental Commission passed unanimously
https://drive.google.com/file/d/1po9UkcallCW4axJw_pGtYcvjdpVh1QqW/view?usp=sharing
 - d. Anything else new?
 - e. Discussion (10 min)
5. CARD Chair Updates – Roger Rayle (20 min)
- a. latest data - status
 - b. 2016, 2017 Gelman well re-surveys
 - c. Review of Gelman site - [stakeholder information infrastructures](#)
 - d. Anything New?
 - e. Discussion (20 mins)
6. Non Agenda Items - All of CARD (15 min)
7. Next CARD Meetings:
- Tuesday, March 2, 2021 at 10:00 AM - CARD/EGLE Quarterly Meeting - Zoom
 - * Tuesday April 6, 2021 at 6:00 PM - Zoom